



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/851,849	05/09/2001	Bruce R. David	10420/12	3674
757	7590	06/25/2004	EXAMINER	
BRINKS HOFER GILSON & LIONE P.O. BOX 10395 CHICAGO, IL 60610			CADUGAN, ERICA E	
			ART UNIT	PAPER NUMBER
			3722	

DATE MAILED: 06/25/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/851,849

Applicant(s)

DAVID ET AL.

Examiner

Erica E Cadugan

Art Unit

3722

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 March 2004.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-25 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 5/9/01 & 3/29/04 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

DETAILED ACTION

1. To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2).

It is noted that Applicant's appeal brief set forth the persuasive argument that Dunlap teaches away from replacing the clamping device taught by Dunlap with the "mounting bolts drilled through the workpiece" taught by Woods since Dunlap specifically teaches that "the entire construction including the tools therefore may be quickly removed from the workpiece and without damage thereto" (col. 2, lines 22-27).

Drawings

2. The proposed drawing correction submitted March 29, 2004 is not approved. It is noted that the proposed drawing correction that added fasteners 58, as shown in Figure 6, that extend "through" the workpiece, contains new matter, as the specification as originally filed does not teach that the fasteners are threaded bolts, such as the one (58) now illustrated in proposed Figure 6. Thus, to now limit the fasteners to a particular "threaded" bolt constitutes new matter. Note that, for example, as disclosed, the fastener could be some type of rivet drilled through the workpiece, for example.

3. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the fasteners that are drilled “through” the workpiece as set forth in all the independent claims must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. While it is noted that the drawings do show fasteners that are used to affix the guide track to the workpiece, it is also noted that the drawings do not show the feature, asserted to be distinguishing from the prior art, of the fasteners extending “through” the workpiece.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 12, 15-17, and 20-21 is rejected under 35 U.S.C. 103(a) as being obvious over U.S. Pat. No. 5,533,845 (Glover)

Glover teaches a portable milling machine, the spindle of which is considered a “router”, having a milling bit 61 secured to a chuck 53 (col. 4, lines 9-15, Figure 1). The bit 61 is ultimately attached to a frame 12, considered the claimed “platform”, which frame 12 is moved in the generally left/right direction shown in the top portion of Figure 1 along a “guide” track, located within subframe 30, via the turning of alignment wheel 19 (Figures 1, 5, and 6, also col.

Art Unit: 3722

3, lines 44-50, for example). Note that the subframe or “guide” 30 is affixed to the workpiece 10 via fasteners “drilled” into the workpiece (see Figures 1, 5, and col. 3, lines 32-43).

Additionally, regarding the “vertical adjustment”, it is noted that alignment wheel 18 is mounted on the “platform” 12 for moving the “platform” and tool “vertically” as viewed in Figure 1 (see also col. 3, lines 44-59, for example).

Regarding claim 15, note that Glover specifically teaches that the tool is pneumatically operated (col. 4, lines 24-32).

Regarding claim 16, Glover specifically teaches a “speed adjustment” (col. 4, lines 58-60).

Specifically regarding claim 20, note that platform 12 has a protruding member that mates with the aforescribed “guide” track of the subframe 30 (see Figure 5, for example), which protruding member “bears” against and interfaces with said “guide” track.

Regarding claim 21, see Figure 1 and col. 4, lines 16-32, for example.

However, while Glover does teach the fasteners that penetrate into the workpiece as described above, Glover is silent about whether the fasteners are drilled all the way “through” the workpiece (noting that the Merriam Webster’s Collegiate Dictionary, 10th ed., defines “through” as “extending from one surface to another”).

However, it is noted that Glover’s device is able to be used with a variety of different workpieces (note that col. 3, lines 25-29, for example set forth a “selected workpiece” and then provide an example of such). It is further noted that 1) it does not appear to matter to the function of Glover’s device whether or not the fasteners extend all the way through the workpiece as long as they perform the salient attaching function, 2) that whether or not the

Art Unit: 3722

fasteners extend all the way “through” the workpiece does not appear to affect the function of the present invention, so long the fasteners perform the salient attaching function, and that 3) whether or not the fasteners extend all the way “through” the workpiece appears to be dependent on the design factor of the length of the fasteners selected as well as on the particular workpiece used, i.e., if a workpiece is used that has a thickness less than the length of the fasteners selected by the designer of Glover’s device, then the fasteners will extend all the way “through” the device, and it is again noted that Glover’s device is usable with a variety of workpieces as described above.

Therefore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to have used whatever length of fasteners with Glover’s device as was desired or expedient on whatever thickness of workpiece as was desired or expedient (thus providing some circumstances where the fasteners extend “through” the workpiece) because Applicant has not disclosed that having the fasteners extend “through” the workpiece provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant’s invention to perform equally well with fasteners that don’t extend all the way through the workpiece because the actual fact that the fasteners extend all the way through the workpiece, per se, does not appear affect the function of Applicant’s invention so long as the fasteners perform the salient function of attaching the guide to the workpiece (which Glover’s fasteners do).

Therefore, it would have been an obvious matter of design choice to have modified Glover to have obtained the invention as specified in the claims.

Art Unit: 3722

6. Claims 12, 17, and 20 are rejected under 35 U.S.C. 103(a) as being obvious over 5,106,243 (Hunt).

Hunt teaches a portable milling machine, the spindle unit 44 of which is considered a “router”. Note that the spindle unit 44 is affixed to a movable ram or “platform” 26, for example (see Figure 1), that moves along a dovetail slide 18 of a bed 12 (Figure 1, col. 2, lines 26-65, for example). The device has a “vertical adjustment” for adjusting the depth of cut of the milling cutter 68 (col. 3, lines 25-29, for example). Additionally, note that the bed plate 10 of the guiding device previously described is bolted to a workpiece surface (see col. 4, lines 18-22 and Figure 1), and thus Hunt teaches the guiding device that is fastened to the workpiece via fasteners or bolts that penetrate the workpiece surface.

Regarding claim 20, note that carriage block 24 serves as a “bearing” as claimed (see Figure 1, for example).

However, while Hunt does teach the fasteners that penetrate into the workpiece as described above, Hunt is silent about whether the fasteners are drilled all the way “through” the workpiece (noting that the Merriam Webster’s Collegiate Dictionary, 10th ed., defines “through” as “extending from one surface to another”).

However, it is noted that Hunt’s device is able to be used with a variety of different workpieces and that Hunt does not limit the use of the device to a particular type of workpiece. It is further noted that 1) it does not appear to matter to the function of Hunt’s device whether or not the fasteners extend all the way through the workpiece as long as they perform the salient attaching function, 2) that whether or not the fasteners extend all the way “through” the workpiece does not appear to affect the function of the present invention, so long the fasteners

Art Unit: 3722

perform the salient attaching function, and that 3) whether or not the fasteners extend all the way “through” the workpiece appears to be dependent on the design factor of the length of the fasteners selected as well as on the particular workpiece used, i.e., if a workpiece is used that has a thickness less than the length of the fasteners selected by the designer of Hunt’s device (for example, a thickness less than the press platen 100 shown in Figure 6), then the fasteners will extend all the way “through” the device, and it is again noted that Hunt’s device is usable with a variety of workpieces as described above.

Therefore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to have used whatever length of fasteners with Hunt’s device as was desired or expedient on whatever thickness of workpiece as was desired or expedient (thus providing some circumstances where the fasteners extend “through” the workpiece) because Applicant has not disclosed that having the fasteners extend “through” the workpiece provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant’s invention to perform equally well with fasteners that don’t extend all the way through the workpiece because the actual fact that the fasteners extend all the way through the workpiece, per se, does not appear affect the function of Applicant’s invention so long as the fasteners perform the salient function of attaching the guide to the workpiece (which Hunt’s fasteners do).

Therefore, it would have been an obvious matter of design choice to have modified Hunt to have obtained the invention as specified in the claims.

Art Unit: 3722

7. Claims 13 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over either of Glover or Hunt as applied to claim 12 above.

Glover and Hunt each teaches all aspects of the claimed invention as described in the above rejection based thereon. However, regarding claim 13, both Glover and Hunt are silent about the degree of precision of the vertical adjustment. Additionally, regarding claim 19, both Glover and Hunt are silent about the material used for the guide.

Regarding the degree of precision of the vertical adjustment, it is noted that it is conventional and well-known in the machining art to utilize an “adjustment” having whatever degree of precision is required for machining a particular desired workpiece, depending on manufacturing tolerances of the workpiece, and a degree of precision within “one-thousandth of an inch” as claimed is also commonly applied. Therefore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to have made the vertical adjustments of either or both of Glover and/or Hunt the particular precision claimed because Applicant has not disclosed that utilizing the particular claimed precision provides an advantage, is used for a particular purpose, or solves a stated problem (note, for example, that Applicant in fact discloses that other precisions can be used, see page 9, for example).

Regarding the particular material for the guide, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have used whatever known material as was desired or expedient, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a

Art Unit: 3722

matter of obvious design choice. In re Leshin, 125 USPQ 416. See also Ballas Liquidating Co. v. Allied industries of Kansas, Inc. (DC Kans) 205 USPQ 331.

8. Claim 18, and alternatively, claim 17, is/are rejected under 35 U.S.C. 103(a) as being unpatentable over either of Glover or Hunt as applied to claims 12 or to claims 12 and 17 above, and further in view of U.S. Pat. No. 3,133,339 (Ribich).

Either of Glover or Hunt teaches all aspects of the claimed invention as described in the above rejection based thereon.

Specifically regarding Glover, Glover is silent as to the specifics of the cutting tool, specifically teaching the “conventional cutting or milling bit 61” may “adopt a variety of configurations and be manufactured from a variety of materials depending on the nature of the workpiece 10” (see col. 4, lines 9-15, for example). Glover is silent about the diameter of the cutting tool, and about the number of flutes of the cutting tool. Additionally, while the cutting tool taught by Glover appears to be an end mill, Glover does not explicitly call it such, other than to say that the tool is a “conventional milling bit” as just described.

Additionally, regarding Hunt, likewise, Hunt generically teaches the use of a “milling cutter 68” (col. 4, line 27, for example) that appears to be an end mill, and is so considered since the device is used to make longitudinal cuts as described in columns 3 and 4, although Hunt does not explicitly call the tool such.

Ribich teaches an end mill (see col. 1, lines 8-10 and Figures 1-2, for example) having three flutes 15-17 (see Figures 1-2) and having a quarter-inch diameter (see the table located at col. 3, lines 40-50 and also see col. 4, lines 15-18, for example). Additionally, Ribich provides a teaching that the particular end mill shown in Figures 1-2 is of a configuration that gives a longer

Art Unit: 3722

tool life than other end mills having differently configured cutting edges (col. 2, lines 7-9, for example, also see generally column 1).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have substituted the specific quarter-inch three-fluted end mill taught by Ribich for the generic milling cutter taught by either of Glover or Hunt for the purpose of providing a cutter capable of producing either continuous or discontinuous chips, as desired, thereby providing a cutter that has a longer life (col. 1-2, specifically col. 2, lines 7-9 of Ribich).

9. Claims 1-5, 7-11, 14, and 22-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Glover as applied to claims 12-13, and 15-21 above, and further in view of either of U.S. Pat. No. 5,503,203 (Stornetta) or U.S. Pat. No. 3,837,383 (Ko), for example.

Glover teaches all aspects of the claimed invention as described in the above rejection based thereon. Additionally, regarding the “grips” of claim 7, note that there are many areas/structures on Glover’s device that can be considered the claimed “grips”. For example, the alignment wheels 18 and 19 each have a gripping handle protruding therefrom, see Figure 6, for example.

However, while Glover does teach the fasteners that penetrate into the workpiece as described above, Glover is silent about whether the fasteners are drilled all the way “through” the workpiece (noting that the Merriam Webster’s Collegiate Dictionary, 10th ed., defines “through” as “extending from one surface to another”). Also, Glover does not teach a vacuum fitting for removing the machined debris. Additionally, regarding claim 2, Glover is silent about the degree of precision of the vertical adjustment. Additionally, regarding claims 8-9, Glover is silent about the material used for the guide.

However, regarding the fasteners extending “through” the workpiece, it is noted that Glover’s device is able to be used with a variety of different workpieces (note that col. 3, lines 25-29, for example set forth a “selected workpiece” and then provide an example of such). It is further noted that 1) it does not appear to matter to the function of Glover’s device whether or not the fasteners extend all the way through the workpiece as long as they perform the salient attaching function, 2) that whether or not the fasteners extend all the way “through” the workpiece does not appear to affect the function of the present invention, so long the fasteners perform the salient attaching function, and that 3) whether or not the fasteners extend all the way “through” the workpiece appears to be dependent on the design factor of the length of the fasteners selected as well as on the particular workpiece used, i.e., if a workpiece is used that has a thickness less than the length of the fasteners selected by the designer of Glover’s device, then the fasteners will extend all the way “through” the device, and it is again noted that Glover’s device is usable with a variety of workpieces as described above.

Therefore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to have used whatever length of fasteners with Glover’s device as was desired or expedient on whatever thickness of workpiece as was desired or expedient (thus providing some circumstances where the fasteners extend “through” the workpiece) because Applicant has not disclosed that having the fasteners extend “through” the workpiece provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant’s invention to perform equally well with fasteners that don’t extend all the way through the workpiece because the actual fact that

Art Unit: 3722

the fasteners extend all the way through the workpiece, per se, does not appear affect the function of Applicant's invention so long as the fasteners perform the salient function of attaching the guide to the workpiece (which Glover's fasteners do).

Therefore, it would have been an obvious matter of design choice to have modified Glover to have obtained the invention as specified in the claims.

However, regarding the vacuum fitting, use of a "vacuum fitting" for collecting machining debris is well-known in the machine tool art as taught by Stornetta wherein a router (including motor 51, base 53, and bit 52, see Figure 2, for example) has a vacuum attachment wherein a vacuum hose is coupled to the dust hood 55 (col. 4, line 56 through col. 5, line 3, for example).

Alternatively, Ko also teaches a "vacuum fitting", including dust collector housing 21, connected to a machining device (see Figures 1-2 and col. 3, lines 20-37) such that dust or work particles will be removed from tubular element 45 via suction hose 47 (col. 4, lines 34-40). Ko teaches that such a vacuum fitting is desirable so as to protect the health of the operator of the machine and other nearby workers, as well as to increase operator safety and improve machine operation (see col. 1, lines 1-34, for example).

Therefore, the use of such attachment (as that taught by either of Stornetta or Ko) in the device of Glover would be obvious to one possessing ordinary skill in the art to achieve the benefits that would accrue thereto as set forth in both Stornetta and Ko (see Stornetta, col. 6, lines 9-16, for example, and Ko, col. 1, lines 1-34, for example) such as reduced hazard to the operator.

Regarding the degree of precision of the vertical adjustment, it is noted that it is conventional and well-known in the machining art to utilize an “adjustment” having whatever degree of precision is required for machining a particular desired workpiece, depending on manufacturing tolerances of the workpiece, and a degree of precision within “one-thousandth of an inch” as claimed is also commonly applied. Therefore, at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to have made the vertical adjustment of Glover the particular precision claimed because Applicant has not disclosed that utilizing the particular claimed precision provides an advantage, is used for a particular purpose, or solves a stated problem (note, for example, that Applicant in fact discloses that other precisions can be used, see page 9, for example).

Regarding the particular material for the guide, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have used whatever known material as was desired or expedient, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416. See also Ballas Liquidating Co. v. Allied industries of Kansas, Inc. (DC Kans) 205 USPQ 331.

10. Claim 6 and alternatively claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Glover in view of either Stornetta or Ko as applied to claim 6 above, and further in view of Ribich.

Glover in view of either Stornetta or Ko teaches all aspects of the claimed invention as described in the above rejection based thereon.

Glover is silent as to the specifics of the cutting tool, only specifically teaching the “conventional cutting or milling bit 61” may “adopt a variety of configurations and be manufactured from a variety of materials depending on the nature of the workpiece 10” (see col. 4, lines 9-15, for example). Glover is silent about the diameter of the cutting tool, and about the number of flutes of the cutting tool. Additionally, while the cutting tool taught by Glover appears to be an end mill, Glover does not explicitly call it such, other than to say that the tool is a “conventional milling bit” as just described.

Ribich teaches an end mill (see col. 1, lines 8-10 and Figures 1-2, for example) having three flutes 15-17 (see Figures 1-2) and having a quarter-inch diameter (see the table located at col. 3, lines 40-50 and also see col. 4, lines 15-18, for example). Additionally, Ribich provides a teaching that the particular end mill shown in Figures 1-2 is of a configuration that gives a longer tool life than other end mills having differently configured cutting edges (col. 2, lines 7-9, for example, also see generally column 1).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have substituted the specific quarter-inch three-fluted end mill taught by Ribich for the generic milling cutter taught by Glover in view of either Stornetta or Ko for the purpose of providing a cutter capable of producing either continuous or discontinuous chips, as desired, thereby providing a cutter that has a longer life (col. 1-2, specifically col. 2, lines 7-9 of Ribich).

Response to Arguments

11. Applicant's arguments filed March 29, 2004, with respect to claims 1-25 have been considered but are not persuasive.

Art Unit: 3722

12. Firstly, re Applicant's arguments that neither Glover nor Hunt teach a router based on an asserted definition of a router, it is noted that Applicant's definition of "router" does not appear to be in line with either art-recognized or dictionary definitions of a router. Specifically note that the Merriam-Webster's Collegiate Dictionary, 10th ed., defines a "router" as "a machine with a revolving vertical spindle and cutter for milling out the surface of wood or metal", and note that it appears that both the devices taught by Glover and Hunt can thus be considered "routers".

In the same vein, note that Applicant as argued that a "router" has "only a single degree of freedom, a vertical or height adjustment". However, it is noted that the router of Applicant's own invention has more than a single degree of freedom since it can move in a direction orthogonal to the direction of the tool axis along the guide 62. Thus it appears that the router of Applicant's own invention does not constitute a "router" under the definition argued by Applicant.

Re Applicant's arguments that neither Glover nor Hunt teach the particular workpiece claimed, e.g., a "sheet metal" workpiece, and other similar arguments, it is noted that (whether Glover's workpiece can be considered a "sheet" aside") a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. In a claim drawn to a process of making, the intended use must result in a manipulative difference as compared to the prior art. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963). In the instant case, it is noted that there appears to be nothing preventing the tools taught by Hunt and Glover to perform routing of a "sheet metal" workpiece or "an aircraft skin

Art Unit: 3722

lap" as claimed. Further noted that the tool is blind to the workpiece on which it operates.

Additionally note that "[i]nclusion of material or article worked on by a structure being claimed does not impart patentability to the claims." In re Young, 75 F.2d 966, 25 USPQ 69 (CCPA 1935) (as restated in In re Otto, 312 F.2d 937, 136 USPQ 458, 459 (CCPA 1963)). See also MPEP section 2115.

Additionally, regarding Applicant's arguments that neither Glover nor Hunt teach that the fasteners extend "through" the workpiece, it is noted that the rejections based on Glover and Hunt do not rely upon Glover or Hunt to teach this feature. Rather, the rejections based on Glover and Hunt are based on the fact that the selection of a particular thickness of workpiece and/or fastener length are non-critical features of the inventions of Hunt and Glover (note that both Glover and Hunt can be used with other workpieces than those shown, as explicitly taught by Hunt and Glover and pointed out in the above rejections), and that the selection of a particular workpiece, of whatever thickness was desired (thereby providing circumstances wherein the workpiece thickness is less than the fastener length), etc. are obvious choices of design of the end user, i.e., the end user would consider it obvious to use the devices of either Glover or Hunt with whatever workpiece, including whatever thickness of workpiece, was desired or expedient. Note again that the claims in question are apparatus claims, not method claims, and that the

Additionally note that "[i]nclusion of material or article worked on by a structure being claimed does not impart patentability to the claims." In re Young, 75 F.2d 966, 25 USPQ 69 (CCPA 1935) (as restated in In re Otto, 312 F.2d 937, 136 USPQ 458, 459 (CCPA 1963)). See also MPEP section 2115.

Art Unit: 3722

Insofar as Applicant's arguments are repeated with respect to the rejections based on Glover or Hunt in combination with other references such as Stornetta or Ribich, Examiner's responses to those arguments are considered to equally apply.

Additionally, on page 10 of Applicant's response, it appears that Applicant may be arguing that it would not be obvious to utilize the particular end mill taught by Ribich with the cutting device taught by Glover because Applicant's cutter provides different advantages than the advantages that Ribich explicitly teaches. However this is not persuasive. The fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Conclusion

13. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Faxing of Responses to Office Actions and Contact Information

Art Unit: 3722


14. In order to reduce pendency and avoid potential delays, TC 3700 is encouraging FAXing of responses to Office Actions directly into the Group at (703) 872-9306. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into TC 3700 will be promptly forwarded to the examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erica Cadugan whose telephone number is (703) 308-6395. The examiner can normally be reached on Monday through Thursday from 7:30 a.m. to 5:00 p.m., and every other Friday from 7:30 a.m. to 4:00 p.m. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, A.L. Wellington can be reached at (703) 308-2159. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the TC 3700 receptionist whose telephone number is (703) 308-1148.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR

Art Unit: 3722

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Erica E Cadugan
Primary Examiner
Art Unit 3722

eec
June 23, 2004